

ACCREDITATION DOCUMENT

F-06/02

Issue Date: 10/08/15

Rev. No: 07 LAB 000

Accreditation No: LAB 107

Awarded to Institute of Biological, Biochemical & Pharmaceutical Sciences, (IBBPS), Dow University of Health Sciences Ojha Campus. Karachi, Pakistan.

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc and shall not mislead its users.

The accreditation was first time granted on **21-07-2016** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of **ISO/IEC 17025:2017.**

The accreditation requires regular surveillance and is valid until 20-07-2022.

The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed measurements/tests.

PAKISTAN NATIONAL ACCREDITATION COUNCIL

03-04-2020	Sd
Date	Director General



ACCREDITATION DOCUMENT

F-06/02

Issue Date: 10/08/15

Rev. No: 07 LAB 000

Testing Laboratory.

Accreditation Scope of Institute of Biological, biochemical & pharmaceutical sciences Dow University of Health Sciences Ojha Campus. Karachi, Pakistan.

Permanent laboratory premises X

Materials/Pro ducts tested	Testing field (e.g. environmental testing or mechanical testing)	Types of test/ Properties measured	Reference to standardized method (e.g. ISO 14577- 1:2003)/ Internal method reference
Cefadroxil 500mg capsule	Drug Testing	Assay/concentration of drug measured in dosage form	USP (CAT # 1097104) and by the use of test method available in USP 2019 (USP 42-NF 37) page 795.
Clarithromycin suspension 125mg/5ml	Drug Testing	Assay/concentration of drug measured in dosage form	USP (CAT # 1134379) and by the use of test method available in USP 2019 (USP 42-NF 37) pg 1029.

03-04-2020	Sd
Date	Director