



ACCREDITATION DOCUMENT

F-06/02
Issue Date: 10/08/15
Rev. No: 07
LAB 041

Accreditation No: LAB 041

Awarded to

**Electrical Measurement & Test Laboratory (EMTL), PCSIR
Labs. Complex, Lahore – Pakistan.**

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc and shall not mislead its users.

The accreditation was first time granted on **06-09-2010** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of **ISO/IEC 17025:2005**. The accreditation requires regular surveillance, and is valid until **02-08-2020**. The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed measurements/tests.

PAKISTAN NATIONAL ACCREDITATION COUNCIL

29-04-2020

Date

Director General



ACCREDITATION DOCUMENT

F-06/02
Issue Date: 10/08/15
Rev. No: 07
LAB 041

Testing Laboratory.

Accreditation Scope of Electrical Measurement & Test Lab. at PCSIR Laboratories Complex, Fereozepur Road, Lahore-Pakistan.

Permanent Laboratory Premises

Materials/ Products tested	Testing field	Types of test/ Properties measured	Reference to standardized method / Internal method reference
Electric Cables (Cont....)	Electrical & Mechanical Properties	Electrical Resistance of conductors	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 BS EN 60228:2005 DDS-8:2007 DDS-82:2007 P-29:2010 ABC-253 (K-R&D-LT)
		Voltage test on cores	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 DDS-8:2007 DDS-82:2007 ABC-253 (K-R&D-LT)
		Voltage test on completed cable	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 DDS-8:2007 DDS-82:2007 P-29:2010 ABC-253 (K-R&D-LT)
		Long term resistance of insulation to DC	IEC 60227-5:2011
		Insulation Resistance Test	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 DDS-8:2007 DDS-82:2007 ABC-253 (K-R&D-LT)
		Resistivity of extruded semi conducting screen applied over conductor and insulation	IEC 60502-2:2005 P-29:2010

29-04-2020

Date

Director



ACCREDITATION DOCUMENT

F-06/02
Issue Date: 10/08/15
Rev. No: 07
LAB 041

Electric Cables (Cont....)	Electrical & Mechanical Properties	Checking of compliance with constructional provisions	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 DDS-8:2007 DDS-82:2007 P-29:2010 ABC-253 (K-R&D-LT)
		Measurement of Insulation Thickness	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60811-201:2012 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 DDS-8:2007 DDS-82:2007 P-29:2010 ABC-253 (K-R&D-LT)
		Measurement of Sheath Thickness	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60811-202,:2012 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 DDS-8:2007 DDS-82:2007 P-29:2010
		Measurement of separation sheath/ bedding thickness	IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 DDS-8:2007 P-29:2010
		Measurement of overall diameter	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 IEC 60811-203:2012 DDS-8:2007 P-29:2010 ABC-253 (K-R&D-LT)
		Thickness of extruded inner covering	IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005
		Diameter of armoured wires and tapes	IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 DDS-8:2007 and P-29:2010
		Ovality	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011

29-04-2020

Date

Director



ACCREDITATION DOCUMENT

F-06/02
Issue Date: 10/08/15
Rev. No: 07
LAB 041

Electric Cables (Cont....)	Electrical & Mechanical Properties	Tensile strength and % age elongation of insulation before and after ageing	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 IEC 60811-501 :2012 IEC 60811-401 :2012 DDS-8:2007 DDS-82:2007; P-29:2010 ABC-253 (K-R&D-LT)
		Tensile strength and % age elongation of Sheath before and after ageing	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 IEC 60811-501 :2012 IEC 60811-401:2012 DDS-8:2007 DDS-82:200; P-29:2010 ABC-253 (K-R&D-LT)
		Loss of mass test on insulation and Sheath	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 IEC 60811-409:2012 DDS-8:2007 DDS-82:2007 and P-29:2010
		Pressure test at high temperature on Insulation and Sheath	IEC 60227-1: 2007 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60811-508:2012 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 DDS-8:2007 DDS-82:2007 P-29:2010
		Cold Bend test of insulation and Sheath at low temperature	IEC 60227-1: 2007 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60811-504:2012 DDS-8:2007 and DDS-82:2007
		Cold Elongation test of insulation and Sheath at low temperature	IEC 60227-1: 2007 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60811-505:2012 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 DDS-8:2007 DDS-82:2007 P-29:2010

29-04-2020

Date

Director



ACCREDITATION DOCUMENT

F-06/02
Issue Date: 10/08/15
Rev. No: 07
LAB 041

Electric Cables (Cont....)	Electrical & Mechanical Properties	Impact test of PVC insulation and Sheath at low Temperature	IEC 60227-1: 2007 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60811-506:2012 and P-29:2010
		Test for resistance of PVC Insulation and Sheath to Cracking (Heat Shock Test)	IEC 60227-1: 2007 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 IEC 60811-509:2012 DDS-8:2007 DDS-82:2007 and P-29:2010
		Flexing test of completed cable	IEC 60227-1: 2007 IEC 60227-2:1997 + A1:2003 IEC 60227-5:2011
		Test of flame retardance of completed cable	IEC 60227-1: 2007 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 IEC 60332-1-1:2004 IEC 60332-1-2:2004
		Water absorption test	IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 IEC 60811-402:2012 DDS-8:2007 DDS-82:2007 P-29:2010 ABC-253 (K-R&D-LT)
		Colour fastness test for insulation & sheath	DDS-8:2007
		Hot Set Test for insulation & sheath	IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 IEC 60811-507:2012 DDS-82:2007 P-29:2010 ABC-253 (K-R&D-LT)
		Shrinkage test for insulation and sheath	IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 IEC 60811-502:2012 IEC 60811-503:2012 DDS-82:2007 P-29:2010 ABC-253 (K-R&D-LT)
		Bending test of completed cable	IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 ABC-253 (K-R&D-LT)
		Measurement of the thickness of semi conducting compound over insulation and conductor	IEC 60502-2:2005 P-29:2010
		Thermal stability test for PVC insulation and sheath	IEC 60227-1: 2007 IEC 60227-3:1993 + A1:1997 IEC 60227-4:1992 + A1:1997 IEC 60227-5:2011 IEC 60502-2:2005 IEC 60811-405:2012

29-04-2020

Date

Director



ACCREDITATION DOCUMENT

F-06/02
Issue Date: 10/08/15
Rev. No: 07
LAB 041

Electric Cables (Cont....)	Electrical & Mechanical Properties	Additional ageing test on pieces of completed cables	IEC 60502-1:2004 + A1:2009 IEC 60502-2:2005 P-29:2010
		Electrical Resistivity/ Conductivity Test	ASTM B193 P-44-96
		Classification	
		Marking and instructions	
		Protection against access to live parts	
		Power input and current	
		Heating	
		Leakage current and electric strength at operating temperature	
		Transient over voltages	
		Moisture resistance	
		Leakage current and electric strength	
		Abnormal operation	
		Stability and mechanical hazards	IEC 60335-1:2016
		Mechanical strength	IEC 60335-2-80:2015
		Construction	Excluding Clause: 19.11
		Internal wiring	
		Components	
		Supply connection and external flexible cords	
		Terminals for external conductor	
		Provision of earthing	
		Screws and connections	
		Clearances, creepage distance and solid insulation	
		Resistance to heat and fire	
		Resistance to rusting	
		Radiation, toxicity and similar hazards	
Electric Fans (Cont....)	Safety Testing	Marking	
		Test of Air Performance (Air Delivery Test)	
		Measurement of Speed of the Fan	IEC 60879:1986
		Measurement of Power Factor	PS-1:2010
		Measurement of Power Input	
		Service Value	
Electric Fans (Cont....)	Performance Testing		

29-04-2020

Date

Director



ACCREDITATION DOCUMENT

F-06/02
Issue Date: 10/08/15
Rev. No: 07
LAB 041

Self Ballasted Fluorescent Lamps	Safety Testing	Marking	IEC 60968:2015
		Interchangeability, mass bending moment	
		Protection against Electric Shock	
		Insulation Resistance and Electric Strength	
		Mechanical Strength	
		Cap Temperature Rise	
		Resistance to Heat	
		Resistance to Flame and Ignition	
		Creepage distances and clearance	
		Photo-biological safety	
Self Ballasted Compact Fluorescent Lamps (Cont....)	Performance Testing	Marking	IEC 60969 :2016
		Initial power	
		Initial luminous flux	
		Chromaticity coordinates	
		Colour rendering index(CRI)	
		Starting time	
		Low temperature and low supply voltage starting	
		run-up time	
		Lumen Maintenance	
		Premature lamp failure rate	
		Life time	
		Switching withstand	
Double Capped Fluorescent Lamps	Performance Testing	Dimensions	IEC 60081 :1997 + A1:2000 + A2:2003 + A3:2005 + A4:2010 + A5:2013
		Caps	
		Dimensions	
		Starting Characteristics	
		Electrical & Cathode Characteristics	
		Photometric Characteristics	
		Lumen Maintenance	
		Marking	

29-04-2020

Date

Director



ACCREDITATION DOCUMENT

F-06/02
Issue Date: 10/08/15
Rev. No: 07
LAB 041

Ballasts for Tubular Fluorescent Lamps	Performance Testing	Marking Voltage at Terminations of Lamp or Starter (If any) Pre-Heating Conditions Lamps Power and Current Circuit Power Factor Supply Current Maximum Current in any Lead to a Cathode Magnetic Screening	IEC 60921:2004 + A1:2006
Self Ballasted LED-Lamps	Performance Testing	Marking Dimensions Lamp input Light output Colour nomenclature, variation and rendering	
Household Refrigerator Appliances	Performance Testing	Storage Test Cooling Capacity Test Freezing Capacity Test Automatic Ice Making Capacity Test Pull Down Test Temperature Rise Test Water Vapour Condensation Test Energy Consumption Test Volume Measurement	IEC 62252-1 : 2015 IEC 62252-2 : 2015 IEC 62252-3 : 2015
Current Transformer (LT, HT)	Performance Testing	Accuracy Limit Factor/ Instrument Security Factor Composite Error	

29-04-2020

Date

Director