

Accreditation No: LAB 009

Awarded to

JBH Complex Laboratory (JBHC Labs), Pakistan Ordnance Factories, Wah Cantt, Pakistan.

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc and shall not mislead its users.

The accreditation was first time granted on **18-04-2005** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of ISO/IEC 17025:2017.

The accreditation requires regular surveillance, and is valid until 10-01-2028.

The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed measurements/tests.

PAKISTAN NATIONAL ACCREDITATION COUNCIL

<u>14-04-2025</u> Date

<u>-SD-</u> Director General



Testing Laboratory.

Accreditation Scope of M/s JBHC Labs. (JBHCL), Wah Cantt, Pakistan.

Permanent laboratory premises X Pakistan Ordnance Factories, Wah Cantt

| Materials / Products Tested | Testing field (Chemical/Physical/ Stability Testing testing) | Types of test/ Properties measured | Reference to standardized method (MIL-STD 286C, 13 October-2010 |
|--------------------------------|--------------------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------------------|
| Propellant Type NC- 1055 | Chemical | Nitroglycerine | 208.1.3 |
| | | Diphenylamine | 201.1.4 |
| | | Potassium Bitartrate | 310.3.1 |
| | | Graphite | 308.1.4 |
| | | Di.amylphthalate (By Difference) | 204.1.2 |
| | | Nitrocellulose (By Difference) | 209.2.1 |
| | | Volatile Matter | 101.2.2 |
| | | Moisture | 101.5 |
| | | Ash | 106.1.2 & 106.2.3 |
| | Physical | Specific Gravity | 510.1.1 |
| | | Length (Average) | 504.6.1 |
| | | Diameter (Average) | 504.6.1 |
| | Stability | Methyl violet Test | 404.1.2 |
| | Chemical | Nitroglycerine | 208.1.3 |
| Propellant Type NC- 1111 | | Nitrocellulose + Graphite (By Difference) | 209.2.1 |
| | | Potassium Nitrate | 310.3.1 |
| | | Volatile Matter | 101.2.2 |
| | | Moisture | 101.5 |
| | | Ash | 106.1.2 & 106.2.3 |
| Propellant Type NC- 1111 | Physical | Specific Gravity | 510.1.1 |
| | | Length (Average) | 504.6.1 |

<u>-Sd-</u> Director



F-06/02 Issue Date: 18/08/2020 Rev. No: 09 LAB 009

| | | Width (Average) | 504.6.1 |
|--------------------------------|--------------------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------------|
| | | Thickness (Average) | 504.6.1 |
| | Stability | Methyl violet Test | 404.1.2 |
| Materials / Products Tested | Testing field (Chemical/Physical/ Stability Testing testing) | Types of test/ Properties measured | Reference to standardized method (MIL-STD 286C, 13 October-2010 |
| Propellant Type P-3 | Chemical | Nitroglycerine | 208.1.3 |
| | | Potassium Nitrate | 310.3.1 |
| | | Nitrocellulose | 209.2.1 |
| | | Graphite | 308.1.4 |
| | | Volatile Matter | 101.2.2 |
| | | Moisture | 101.5 |
| | | Ash | 106.1.2 & 106.2.3 |
| | Physical | Specific Gravity | 510.1.1 |
| | | Length (Average) | 504.6.1 |
| | | Diameter (Average) | 504.6.1 |
| | Stability | Methyl violet Test | 404.1.2 |
| Propellant 30mm | Chemical | Diphenylamine | 201.1.4 |
| | Physical | Length (Average) | 504.6.1 |
| | | Nitroglycerine | 208.1.3 |
| Propellant Type P-2 | Chemical | Potassium Nitrate | 310.3.1 |
| | | Graphite | 308.1.4 |
| | | Nitrocellulose | 209.2.1 |
| | | Volatile Matter | 101.2.2 |
| | | Moisture | 101.5 |
| | | Ash | 106.1.2 & 106.2.3 |
| | Physical | Length (Average) | 504.6.1 |
| | | Diameter (Average) | 504.6.1 |
| | Stability | Methyl violet Test | 404.1.2 |

<u>-Sd-</u> Director