

	<b>ACCREDITATION DOCUMENT</b>	<b>F-06/02 Issue Date: 18/08/2020 Rev. No: 09 LAB 204</b>
---	-----------------------------------	---

**Accreditation No: LAB 204**

**Awarded to**

**Quality Control Laboratory  
Wimits Pharmaceuticals (Pvt.) Ltd.,  
Plot # 129, Sundar Industrial Estate, Lahore-Pakistan**

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc and shall not mislead its users.

The accreditation was first time granted on **28-09-2020** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of **ISO/IEC 17025:2017**.

The accreditation requires regular surveillance, and is valid until **27-09-2023**.

The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed measurements/tests.

**PAKISTAN NATIONAL ACCREDITATION COUNCIL**

28-09-2020  
Date

Sd\_\_\_\_\_  
Director General

	<b>ACCREDITATION DOCUMENT</b>	<b>F-06/02</b> <b>Issue Date: 18/08/2020</b> <b>Rev. No: 09</b> <b>LAB 204</b>
---	-----------------------------------	---

### Testing Laboratory.

**Accreditation Scope of Quality Control Laboratory**  
**Wimits Pharmaceuticals (Pvt.) Ltd.,**  
**Plot # 129, Sundar Industrial Estate, Lahore-Pakistan**

Permanent laboratory premises

Materials/Products tested	Testing field (e.g. environmental testing or mechanical testing)	Types of test/ Properties measured	Reference to standardized method (e.g. ISO 14577-1:2003)/ Internal method reference	
Water For Injection	Chemical Testing of Pharmaceutical Products	Conductivity pH	USP 2020 Chap<644>Page 6868	
Purified Water		Conductivity pH	USP 2020 Chap<791>Page 7022	
Dreety Injection		pH	USP 2020 Chap<791>Page 7022	
Dopa Injection				
Ketomit Injection				
Xamic Injection				BP 2020 Appendix V L V-A281
Levic Oral Solution				USP 2020 Chap<791>Page 7022
Cetrido Syrup				
Widine Syrup				
Oxamit Drench				BP 2020 Appendix IX D V-A341
Ketamine HCl	Physical Testing of Pharmaceutical Products	Loss on Drying	BP 2020 Appendix IX D V-A341	
Ofloxacin			USP 2020 Chap<731> Page 6970	

28-09-2020  
Date

Sd  
\_\_\_\_\_  
Director

	<b>ACCREDITATION DOCUMENT</b>	<b>F-06/02</b> <b>Issue Date: 18/08/2020</b> <b>Rev. No: 09</b> <b>LAB 204</b>
---	-----------------------------------	---

<b>Materials/Products tested</b>	<b>Testing field (e.g. environmental testing or mechanical testing)</b>	<b>Types of test/ Properties measured</b>	<b>Reference to standardized method (e.g. ISO 14577-1:2003)/ Internal method reference</b>
Tranexamic Acid	Physical Testing of Pharmaceutical Products	Loss on Drying	BP 2020 Appendix IX D, V-A341
Carbamazepine			USP 2020 Chap<731> Page 6970
Dopamine HCl			BP 2020 Appendix IX D, V-A341
Crosspovidone			
Maize Starch			

28-09-2020  
Date

\_\_\_\_\_  
Sd  
Director