

	ACCREDITATION DOCUMENT	F-06/02 Issue Date: 18/08/2020 Rev. No: 09 LAB 239
----------------------------------------------------------------------------------	-------------------------------	---------------------------------------------------------------------------------------------------

Accreditation No: LAB 239

Awarded to

Quality Control Lab Shergar Chemicals
Plot # 57 Industrial Estate,
Multan. Pakistan

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc and shall not mislead its users.

The accreditation was first time granted on **16-08-2021** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of **ISO/IEC 17025:2017**.

The accreditation requires regular surveillance, and is valid until **15-08-2024**.

The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed measurements/tests.

PAKISTAN NATIONAL ACCREDITATION COUNCIL

16-08-2021
Date

-Sd-
Director General

	ACCREDITATION DOCUMENT	F-06/02 Issue Date: 18/08/2020 Rev. No: 09 LAB 239
----------------------------------------------------------------------------------	-------------------------------	---------------------------------------------------------------------------------------------------

Testing Laboratory.

Accreditation Scope of Quality Control Lab Shergar Chemicals
Plot # 57 Industrial Estate,
Multan. Pakistan

Permanent laboratory premises

Materials/Products tested	Testing field (e.g. environmental testing or mechanical testing)	Types of test/ Properties measured	Reference to standardized method (e.g. ISO 14577-1:2003)/ Internal method reference
Imidacloprid (SL)	Mechanical Testing	Active concentration	(STM IMID) CIPAC,MT#582 VOL,L HPLC,
Metolachlor (EC)	Mechanical Testing	Active concentration	(PT Procedure) CIPAC, VOL.D&PT
Chlorfenapyr (SC)	Mechanical Testing	Active concentration	(STM Chlorfena) CIPAC, VOL.O# 57 HPLC,
Pyriproxyfen (EC)	Mechanical Testing	Active concentration	(STM Pyri) CIPAC,VOL.M# 73 HPLC,
Fipronil (SC)	Mechanical Testing	Active concentration	(STM Fipronil) CIPAC, VOL. J HPLC,
Acetamaprid (SL)	Mechanical Testing	Active concentration	(STM Acetamaprid) CIPAC METHOD HPLC,
PH	Physical Testing	Ph	(STM Ph) CIPAC, MT#75.3 VOL.J
Emulsion	Physical Testing	Emulsion	(STM Emulsion) CIPAC VOL.F,MT#3 HPLC,
Viscosity	Physical Testing	Viscosity	(STM Viscosity) In house Validated method HPLC
Density	Physical Testing	Density	(STM Density) CIPAC,VOL.F MT#3 HPLC

16-08-2021

Date

Director