

	ACCREDITATION DOCUMENT	F-06/02 Issue Date: 18/08/2020 Rev. No: 09 LAB 260
---	-----------------------------------	---

Accreditation No: LAB 260

Awarded to

**Artistic Milliners Central Testing Laboratory
Artistic Milliners Pvt. Limited
Plot no 4 & 8, Sector # 25, Korangi Industrial Area,
Karachi, Pakistan**

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc. and shall not mislead its users.

The accreditation was first time granted on **07-04-2022** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of **ISO/IEC 17025:2017**.

The accreditation requires regular surveillance, and is valid until **06-04-2025**.

The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed measurements/tests.

PAKISTAN NATIONAL ACCREDITATION COUNCIL

07-04-2022
Date

SD
Director General

	ACCREDITATION DOCUMENT	F-06/02 Issue Date: 18/08/2020 Rev. No: 09 LAB 260
---	-----------------------------------	---

Testing Laboratory.

Accreditation Scope of Artistic Milliners Central Testing Laboratory, Artistic Milliners Pvt. Limited, Plot no 4 & 8, Sector# 25, Korangi Industrial Area, Karachi, Pakistan

Permanent laboratory premises

Materials/Products tested	Testing field (e.g. environmental testing or mechanical testing)	Types of test/ Properties measured /technique	Reference to standardized method (e.g. ISO 14577-1:2003)/ Internal method reference
Textiles and related products Testing	Physical	Colorfastness to Crocking	AATCC TM8-2016e
	Physical	Colorfastness to Laundering: Accelerated	AATCC TM61-2013e(2020)
	Chemical	Determination of pH of water extract from wet processed textile	AATCC TM81-1996e2(2016)e
	Chemical	Determination of pH of aqueous extract	EN ISO 3071:2020
	Physical	Standard Test Method for End (Warp) and Pick (Filling) Count of Woven Fabrics	ASTM D3775 : 2017e1
	Physical	Determination of Mass per Unit Area (Gram per square meter)	ASTM D3776-09a : 2017 (Option C)
	Physical	Colorfastness to Perspiration	AATCC TM15-2013e
	Physical	Colorfastness to Water	AATCC TM107-2013e2

07-04-2022

Date

SD

Director